This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

#9

hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

PATENT Attorney Docket No.: 015280-212210

Assistant Commissioner for Patents, Washington, D.C. 20231

on February 6, 2003

TOWNSEND and TOWNSEND and CREW LLP

Jov M. Marshall

RECEIVED

FEB 1 9 2003

TECH CENTER 1600/2900

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Salahuddin et al.

Application No.: 10/087,882

Filed: March 1, 2002

For: ANTIBODIES AGAINST HUMAN

HERPES VIRUS-6(HHV-6) AND

METHOD OF USE

Assistant Commissioner for Patents

Washington, D.C. 20231

above-identified case.

Sir:

Examiner: Salimi

Art Unit: 1648

LETTER TO OFFICIAL DRAFTSPERSON

Pursuant to the Notice of Draftsperson's Patent Drawing Review dated September 25, 2002, applicant submits eighteen sheets of formal drawings to be made of record in the

Respectfully submitted,

Carol A. Fang

Reg. No. 48,631

TOWNSEND and TOWNSEND and CREW LLP Two Embarcadero Center, 8th Floor San Francisco, California 94111-3834 (415) 576-0200 Fax (415) 576-0300 CAF:jmm SF 1430386 v1





FIG. 1.



mn. 411. 1421) H. jaj






FIG. 2A.

FIG. 2B.






FIG. 2C.

hst Human Herpes Virus-6(HHV-6) and Method of 3/18








HUMAN B-LYMPHOTROPIC VIRUS (HBLV)

olication No. 10/087,882 Salahuddin et al. Antiho hst Human Herpes Virus-6(HHV-6) and Method of 4/18





F1G 4C

F1G. 4B.

 $\mathcal{F}_{I_{i},I_{i}}^{p}$

F1G. 4A.

HYBRIDIZATION OF HHV-6 SPECIFIC CLONE. ZVH-14 TO DNA FROM HBLV INFECTED CORD BLOOD LYMPHOCYTES.

A=Hind-III

B=Eco-RI

FIG. 5A.

FIG. 5B.




FIG. 6.





APPROVED O.G. FIG.

DRAFTSMAN



200

95

68

K Da

HBLV positive serum by IFA reacted with

3 hrs 35 Methionine and 35S cysteine

HBLV high positive serum by IFA from Rabbit HBLV hyperimmune serum

Lane 3. | Lane 2.

Lane 1. HBLV negative serum by IFA labeled HSB-2 infected cells.

Lane 4 HBLV low positive serum by IFA


CFS patient

Lane 1. 15 hrs labeled - HBLV infected HSB-2 cell supernatant

Lane 2. infected cells (HSB-2) lysates. Lane 3. Uninfected cells (HSB-2) lysates.

◆120 kDa consistantly recognized in HBLV positive

F1G. 7B.



WESTERN BLOT ANALYSIS OF HBLV PROTEINS

APPICVED O.G. F.I.G.
BY CLASS SUBCLASS

RAFTSMAN



15-

23-

1 2 3

1 2 3

FIG. 9A. FIG. 9B.


A = Concentrated HBLV from HSB-2 Cells

B = HSB-2 Cell Lysates

Lane 1 and 2: HBLV Antibody Positive Sera

Lane 3: HBLV Antibody Negative Serum






SPECIFIC HYBRIDIZATION OF HUMAN DNA VIRUS PROBES TO GENOMIC DNA OF HUMAN HERPES VIRUSES BY DNA DOT BLOT ANALYSIS.

I UNIT = 25 µg DNA



1 2 3

FIG.	SUBCLASS	
O.G. FIG.	CLASS	
APPROVED	βĄ	DRAFTSMAN



HBLV Sequences in a follicular Large cell Lymphoma.

LANE 1 — Negative Control

LANE 2 - Tumor Cell DNA

LANE 3 - DNA from HBLV positive BL

DNA from negative and positive controls and Tumor (Lane 2) was digested with EcoR-1.

FIG. IIA.



kb

8.2 —

2.1 —

1.3 ___

TRACTION POP

0.a. Fig.	SUBCLASS	
0.G	CLASS	
APPROVED	λa	DRAFTSMAN

	AFRIC KITT	CAN TUM	1OR	-CEL	L LY	MPHC	AMO
EcoR 1	Hind III	BamHI	Bgl II	EcoR 1	Hind III	BamH 1	
41.784	***	~ .	4				
	公館						
	NE :						
	1						
· ·							
1	2	3	4	5	6	7	


FIG. IIB.



D tection f HBLV Sequ nc s in B-Cell Tumors Arising in a Sj"gr n's Syndr m Patient

Node Node Liver PBL Biopsy
1 2 3 4 5

Kb



LANE I ABDOMINAL NODE

LANE 2 THORACIC NODE

LANE 3 PERIPHERAL BLOOD LYMPHOCYTES

LANE 4 LIVER

LANE 5 EARLY SALIVARY GLAND BIOPSY

FIG. IIC.



RESTRICTION ENZYME ANALYSES OF THE HBLV GENOME




FIG. 12.



Paragonal Hamburgh and







FIG. 13A.



HYBRIDIZATION OF 2 AND 3
RESPECTIVELY TO HBLV PROBE
pZVHI4

FIG. 13B.

Agai Human Herpes Virus-6(HHV-6) and Method of U. 16/18



APPROVED O.G. FIG.

BY CLASS SUBCLASS

DRAFTSMAN




FIG. 14.

 $\{y_{n},\dots,y_{n}\}$



APPHOVED O.G. FIG.

.




FIG. 15.

cation No. 10/087,882 Salahuddin et al. Antibodio Human Herpes Virus-6(HHV-6) and Method of 1 18/18 SUBCLASS O.G. FIG. APPROVED ₽

FIG. 17.